

New solar container box



 **LFP 280Ah C&I**





New solar container box



How do I push a new local branch to a remote Git repository and track

How do I: Create a local branch from another branch (via git branch or git checkout -b). Push the local branch to the remote repository (i.e. publish), but make it trackable so that git pull and



Refresh powerBI data with additional column

I have built a powerBI dashboard with data source from Datalake Gen2. I am trying to add new column into my original data source. How to refresh from PowerBI side without much issues ...


Find and replace with a newline in Visual Studio Code

I am trying out the new Microsoft Visual Studio Code editor in Linux Fedora environment. I would like to know how to replace new line (n) in place of some other text. For example, I have ...



Difference between 'new operator' and 'operator new'?

A new expression is the whole phrase that begins with new. So what do you call just the "new" part of it? If it's wrong to call that the new operator, then we should not call "sizeof" the sizeof ...



How to initialize a JavaScript Date to a particular time zone

`new Date(new Date().toLocaleString('en', {timeZone: 'America/New_York'}))` The above approach correctly uses the Intl API to create a string in a specific time zone, but then it incorrectly passes that ...

Create a branch in Git from another branch

If you want create a new branch from any of the existing branches in Git, just follow the options. First change/checkout into the branch from where you want to create a new branch.



Creating an empty Pandas DataFrame, and then filling it

If new row values depend on previous row values as in the OP, then depending on the number of columns, it might be better to loop over a pre-initialized dataframe of zeros or grow a Python ...





Contact Us

For catalog requests, pricing, or partnerships, please visit:
<https://crossworldtours.co.za>